

**=> IFW:     Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number: 10525462**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Monday  
Date: 9/25/2006  
Time: 11:33:39

 **PALM INTRANET**

## Inventor Information for 10/525462

<b>Inventor Name</b>	<b>City</b>	<b>State/Country</b>
KIM, TAE WON	SEOUL	KOREA, REPUBLIC OF

  

<a href="#">Appln Info</a>	<a href="#">Contents</a>	<a href="#">Petition Info</a>	<a href="#">Atty/Agent Info</a>	<a href="#">Continuity/Reexam</a>	<a href="#">Foreign Data</a>	<a href="#">Invento</a>
----------------------------	--------------------------	-------------------------------	---------------------------------	-----------------------------------	------------------------------	-------------------------

**Search Another:** Application#  [Search](#) or Patent#  [Search](#)  
PCT /  /  [Search](#) or PG PUBS #  [Search](#)  
Attorney Docket #  [Search](#)  
Bar Code #  [Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060208965 A1	20060921	Plasma display panel (PDP)	345/60		Chun; Byoung- Min et al.
US 20060194581 A1	20060831	System and method for controlling an operational mode of a MAC layer in a broadband wireless access communication system	455/436	370/395.4	Kang; Hyon- Goo et al.
US 20060192474 A1	20060831	Plasma display panel and method for forming the same	313/491		Kim; Tae Woo et al.
US 20060189318 A1	20060824	System and method for controlling an operational mode of a MAC layer in broadband wireless access communication system	455/436	455/458	Kang; Hyon- Goo et al.
US 20060186813 A1	20060824	Plasma display panel	313/583	313/582; 313/584	Kim; Tae- Woo et al.
US 20060186809 A1	20060824	Plasma display panel	313/582		Kim; Tae- Woo et al.
US 20060148148 A1	20060706	Semiconductor device manufacturing method	438/185	438/649	Kim; Tae Woo
US 20060138493 A1	20060629	CMOS image sensor and method for fabricating the same	257/292	257/204; 257/291	Shim; Hee Sung et al.
US 20060138492 A1	20060629	CMOS image sensor and method for fabricating the same	257/292		Shim; Hee Sung et al.
US 20060134878 A1	20060622	Method of fabricating metal-insulator-metal capacitor	438/393		Kim; Tae Woo

US 20060132074 A1	20060622	Lead-angle control method and device for operating permanent magnet synchronous motor in flux weakening regions	318/437		Yang; Soon-bae et al.
US 20060119302 A1	20060608	Method of controlling motor drive speed	318/434	318/268	Yang; Soon-bae et al.
US 20060113912 A1	20060601	Plasma display panel	313/585		Kim; Tae-Woo et al.
US 20060106141 A1	20060518	Flame retardant styrene-based resin composition with high impact property	524/115	524/464	Yi; Jin-woo et al.
US 20060092666 A1	20060504	Backlight unit and liquid crystal display device	362/613		Jeong; In Suk et al.
US 20060091962 A1	20060504	Amplifier circuit having improved linearity and frequency band using multiple gated transistor	330/311		Kim; Tae Wook et al.
US 20060078632 A1	20060413	Composition comprising bamboo extract and the compounds isolated therefrom showing treating and preventing activity for inflammatory and blood circulation disease	424/750		Woo; Sung-Sick Nyeo et al.
US 20060049876 A1	20060309	Active circuit having improved linearity using multiple gated transistor	330/295		Kim; Tae Wook et al.
US 20060040699 A1	20060223	Method and system for forming and transmitting/receiving neighbor base station	455/524	455/67.11	Kim; Jun-Hyung et al.

		information in a BWA communication system			
US 20060033574 A1	20060216	High linearity programmable gain amplifier using switch	330/284		Kim; Tae Wook et al.
US 20060022740 A1	20060202	Differential amplifier circuit and mixer circuit having improved linearity	327/359		Kim; Tae Wook et al.
US 20060003189 A1	20060105	Barrier coatings	428/704	427/457; 428/520; 428/698	Kim; Tae Won et al.
US 20060001378 A1	20060105	Plasma display panel (PDP)	313/587		Yi; Jeong-Doo et al.
US 20060001040 A1	20060105	High integrity protective coatings	257/100	438/127	Kim; Tae Won et al.
US 20050282547 A1	20051222	System for handover in BWA communication system and method thereof	455/436		Kim, Jung-Won et al.
US 20050277417 A1	20051215	System and method for fast network re-entry in a broadband wireless access communication system	455/436		Yoon, Seung-II et al.
US 20050275618 A1	20051215	Pointing device	345/156		Juh, Sung Chul et al.
US 20050264205 A1	20051201	Plasma display panel having improved exhaust efficiency	313/584	313/582	Chun, Byoung-Min et al.
US 20050254376 A1	20051117	Information recording medium, recording and/or reproducing method,	369/47.48	369/59.1; 369/59.19	Yoon, Kyeong-yong et al.

		recording and/or reproducing apparatus, and sync detection apparatus			
US 20050253514 A1	20051117	Plasma display panel	313/582		Chun, Byoung- Min et al.
US 20050246818 A1	20051110	Blue jeans which hem length is adjustable	2/227		Kim, Tae Won
US 20050215279 A1	20050929	SERVICE FLOW MANAGEMENT METHOD OF MOBILE SUBSCRIBER STATION IN A MOBILE BROADBAND WIRELESS ACCESS SYSTEM	455/550.1		Shim, Jae- Jeong et al.
US 20050197125 A1	20050908	System and method for controlling an operational mode of a MAC layer in a broadband wireless access communication system	455/439	455/436	Kang, Hyon- Goo et al.
US 20050195822 A1	20050908	Divided MAC protocol structure, data transmission and reception method, and handover method and system using the structure in a wireless communication system	370/393		Lim, Geun- Hwi et al.
US 20050170596 A1	20050804	Semiconductor device and method for manufacturing the same	438/305		Kim, Tae Woo
US 20050151275 A1	20050714	Method of fabricating SRAM device	257/427	257/903; 257/E21.661; 257/E27.098	Kim, Tae Woo
US	20050714	Semiconductor	257/288	257/402;	Kim,

20050151174 A1		device and fabricating method thereof		257/408; 438/197; 438/289; 438/303; 438/306	Tae Woo
US 20050140589 A1	20050630	Plasma display and driving method thereof	345/63		Yi, Jeong- Doo et al.
US 20050139888 A1	20050630	Semiconductor device and fabricating method thereof	257/296	257/E21.019; 257/E27.048; 438/238	Kim, Tae Woo
US 20050133781 A1	20050623	Multilayer device and method of making	257/40	257/E51.001; 438/99	Yan, Min et al.
US 20050102854 A1	20050519	Dryer rack	34/602	34/239	Lee, Dong Geun et al.
US 20050078627 A1	20050414	Call setup method for providing push-to- talk service in a cellular mobile telecommunication system	370/328	370/338; 370/352	Yoon, Seong-Il et al.
US 20050070280 A1	20050331	Access network selection apparatus and method in a heterogeneous system	455/434	455/452.1	Jung, Je-Hyun et al.
US 20050068929 A1	20050331	System and method for coupling between mobile communication system and wireless local area network	370/338	370/352; 370/401	Chang, Hong- Sung et al.
US 20050063329 A1	20050324	Data push service system and method using a heterogeneous network	370/328	370/351	Lee, Sang- Do et al.
US 20050047399 A1	20050303	Method and apparatus for providing voice and data services in a mobile	370/352		Lee, Sang- Do et al.

		communication system with various overlapped access networks			
US 20050007049 A1	20050113	Regenerative braking system and method using air conditioning system of electric vehicle	318/376		Kim, Tae Woo
US 20050002351 A1	20050106	Method for receiving call in a mobile communication system	370/328	370/352	Kong, Dong-Keon et al.
US 20050002345 A1	20050106	Method and system for performing a fast call setup in a wireless telecommunication system	370/311	370/342; 455/574	Pyo, Jong-Bum et al.
US 20040253961 A1	20041216	Mobile communication system for establishing call a connection state and a method for establishing a call connection state using the same	455/450	455/516	Kong, Dong-Keon et al.
US 20040253876 A1	20041216	CONNECTING APPARATUS FOR THREE PHASE INDUCTION MOTOR OF ELECTRIC VEHICLE	439/651		Kim, Tae Woo
US 20040219940 A1	20041104	Call setup method and system for push-to-talk service in a cellular mobile communication system	455/518	455/450; 455/509	Kong, Dong-Koon et al.
US 20040185879 A1	20040923	Method of cross-paging a hybrid access terminal supporting voice service and packet	455/458	455/426.1; 455/567	Kong, Dong-Keon et al.



		data service			
US 20040174170 A1	20040909	Method and apparatus for measuring voltage of battery module of electric vehicle	324/426		Kim, Tae Woo
US 20040161901 A1	20040819	Method for fabricating transistor of semiconductor device	438/289	257/E21.424; 257/E21.443	Choi, Chee Hong et al.
US 20040160264 A1	20040819	Mixer circuit having improved linearity and noise figure	327/355		Kim, Tae-Wook et al.
US 20040151379 A1	20040805	Method of digital image analysis for isolating a region of interest within a tongue image and health monitoring method and apparatus using the tongue image	382/209	382/128; 382/173	Kim, Tae-woo et al.
US 20040151375 A1	20040805	Method of digital image analysis for isolating a teeth area within a teeth image and personal identification method and apparatus using the teeth image	382/181	382/128; 382/173	Kim, Tae-woo et al.
US 20040059430 A1	20040325	Collagen-based biomaterial for tissue repair	623/23.72	8/94.11	Kim, Tae-Woon et al.
US 20040056712 A1	20040325	Variable gain low noise amplifier	330/51	330/129	Lee, Kwyro et al.
US 20040037222 A1	20040226	Method of controlling operation mode of hybrid access terminal supporting voice service and packet data service	370/229	370/352	Kim, Kyung-Jin et al.
US 20040028081	20040212	Multiple service method and apparatus	370/490	370/352	Chang, Hong-

A1		in a data only mobile telecommunication system			Sung et al.
US 20040017175 A1	20040129	Power control unit of fuel cell hybrid vehicle	320/104	903/944	Lee, Sang-Don et al.
US 20040005518 A1	20040108	Method for forming a planarized layer of a semiconductor device	430/314	430/317; 430/319; 430/328; 430/329; 430/330	Park, Ki-Jong et al.
US 20030197599 A1	20031023	Device for floating an automobile and communication in an emergency	340/425.5	180/271; 340/573.6; 441/80; 701/45	Kim, Tae Woon
US 20030179808 A1	20030925	Non-invasive apparatus for measuring a temperature of a living body and method therefor	374/122		Kim, Tae-woo et al.
US 20030119269 A1	20030626	Method for fabricating semiconductor transistor device	438/306	257/E21.337; 257/E21.345; 257/E29.055; 438/197; 438/301; 438/303; 438/305	Kim, Tae Woo
US 20030111098 A1	20030619	Apparatus for stripping photoresist and method thereof	134/26	134/124; 134/155; 134/95.1	Kim, Tae Woon
US 20020075823 A1	20020620	Apparatus and method for managing dormant state in a wireless packet data system	370/328	370/351	Lee, Sung-Won et al.
US 20020041576 A1	20020411	Apparatus and method for managing dormant state in a wireless packet data system	370/331	370/386	Chang, Hoon et al.
US 20020030970 A1	20020314	Docking apparatus for assembling and disassembling peripheral devices in	361/686		Kim, Tae-Woan

		and from a computer			
US 20020009982 A1	20020124	Antenna sharing apparatus of base station in W-CDMA system	455/135		Kim, Tae Wook
US 20010041564 A1	20011115	Method for servicing facsimile using wireless local loop system	455/426.2	455/3.05; 455/557	Kim, Tae Won
US 7075103 B2	20060711	Multilayer device and method of making	257/40	257/E51.001; 438/40	Yan; Min et al.
US D523852 S	20060627	Notebook computer	D14/327		Kim; Tae- Woo et al.
US 7039430 B2	20060502	System and method for controlling an operational mode of a MAC layer in a broadband wireless access communication system	455/458	455/440; 455/456.1; 455/457	Kang; Hyon- Goo et al.
US 7008755 B2	20060307	Method for forming a planarized layer of a semiconductor device	430/314	430/313; 430/317; 430/319; 430/328; 430/330	Park; Ki-Jong et al.
US 6989644 B2	20060124	Regenerative braking system and method using air conditioning system of electric vehicle	318/376	180/65.1; 180/65.3; 180/65.4; 290/11; 290/14; 290/9; 318/254; 318/362; 318/375	Kim; Tae Woo
US 6977920 B1	20051220	CDMA mobile data communication system and a method of wireless data communication using the system	370/352	370/466	Kim; Tae Woon
US 6975091 B2	20051213	Power control unit of fuel cell hybrid	320/104	320/126	Lee; Sang-

		vehicle			Don et al.
US 6950415 B2	20050927	Apparatus and method for managing dormant state in a wireless packet data system	370/331	455/436	Chang; Hoon et al.
US 6936517 B2	20050830	Method for fabricating transistor of semiconductor device	438/291	257/E21.424; 257/E21.443; 438/585; 438/592	Choi; Chee Hong et al.
US 6933779 B2	20050823	Variable gain low noise amplifier	330/51	330/283; 330/305	Lee; Kwyro et al.
US 6933728 B2	20050823	Method and apparatus for measuring voltage of battery module of electric vehicle	324/433		Kim; Tae Woo
US 6873859 B2	20050329	Method for servicing facsimile using wireless local loop system	455/556.1	455/426.2; 455/554.2; 455/557	Kim; Tae Won
US 6840813 B2	20050111	Connecting apparatus for three phase induction motor of electric vehicle	439/651	439/189; 439/721; 439/956	Kim; Tae Woo
US 6800529 B2	20041005	Method for fabricating semiconductor transistor device	438/289	257/240; 257/285; 257/E21.337; 257/E21.345; 257/E29.055; 438/302; 438/525	Kim; Tae Woo
US 6798346 B2	20040928	Device for floating an automobile and communication in an emergency	340/623	340/426.36; 340/539.1; 340/539.22; 340/618	Kim; Tae Woon
US 6773159 B2	20040810	Non-invasive apparatus for measuring a temperature of a living body and method therefor	374/122	374/101; 374/43; 374/44; 374/45; 600/407; 600/549	Kim; Tae-woo et al.
US 6677724 B1	20040113	Initial magnetic pole estimating device for	318/700	318/701; 318/799;	Kim; Tae-

		AC synchronous motor		318/800; 318/811	Woong et al.
US 6571109 B1	20030527	Wireless local loop system enabling FAX service and method of performing FAX data service	455/555	358/442; 358/444; 455/557	Kim; Tae Won
US 6522307 B2	20030218	Antenna sharing apparatus of base station in W-CDMA system	343/850	370/342	Kim; Tae Wook
US 6519235 B1	20030211	Mobile radio communication packet data network	370/331	455/439; 455/445	Kim; Tae Won et al.
US 6510051 B2	20030121	Docking apparatus for assembling and disassembling peripheral devices in and from a computer	361/686	312/223.2; 360/98.01; 439/928.1	Kim; Tae-Woan
US 6299562 B1	20011009	Differential for part-time 4-wheel drive vehicle	475/232	475/221	Kim; Tae-Woo
US 6087215 A	20000711	Method of fabricating a DRAM device	438/253	257/303; 257/E21.654; 257/E27.086; 438/390; 438/395; 438/529	Kim; Tae Woo et al.
US 6073636 A	20000613	Dry etcher apparatus and method of preventing residual reaction gas from condensing on wafers after etching	134/1.3	216/2; 216/58; 257/E21.218	Kim; Tae-Wook et al.
US 6038224 A	20000314	Data control system in CDMA mobile communication system	370/342	370/335; 455/560	Kim; Tae Won et al.
US 6023469 A	20000208	Idle address controller for shared buffer type ATM switch	370/398		Sung; Dan-Keun et al.
US 5972161 A	19991026	Dry etcher apparatus for preventing residual reaction gas	156/345.31	118/719; 134/1.1; 156/916;	Kim; Tae-Wook et

		from condensing on wafers after etching		257/E21.218	al.
US 5777301 A	19980707	Relay driving apparatus for microwave oven and method thereof	219/721	219/716; 219/722; 363/49	Kim; Tae Woo
US 5713026 A	19980127	Error-preventing system having a signal correction unit	710/260	710/266	Shin; Seung- Kee et al.
US 5709348 A	19980120	Tape tension adjusting device for use in a video cassette recorder	242/334.6	242/421.8; 360/85; 360/95	Kim; Tae- Woo